
The little book of Buster.js Documentation

1.0

azu

2012 05 30

Contents

1	Buster.JS	3
1.1	Mac OS X/Linux	3
1.2	Windows	3
1.3	VM	3
2	Indices and tables	7

Contents:

Buster.JS

1.1 Mac OS X/Linux

MacLinux Node npm

```
$
```

1.2 Windows

Windows

1.3 VM

VirtualBoxBuster.JS Windows

1.3.1 try-busterjs

VirtualBox OS VirtualBoxBuster.JS VirtualBox

```
: OSWindows
```

VirtualBox Vagrant - Downloads

Vagrant PATH D:\ruby\vagrant\ D:\ruby\vagrant\bin PATH

Ruby + VirtualBox + Vagrant vagrantVMbase

```
$
```

try-busterjs cloneVagrant

```
$  
$ cd  
$
```


`vagrant up VirtualBoxUbuntu OSSSHBuster.JS`

MacLinuxssh vagrant ssh SSH Windows PuTTY RLogin SSH SSH ¹

: RLogin

SSH vagrant ssh

SSH /.vagrant.d/insecure_private_key



SSHLinuxBuster.JS buster npm

¹ Get Started With Vagrant On Windows — zamboni 0.8 documentation

```
$  
# vagrant
```

try-busterjs VirtualboxBuster.JS SSHLinux on VM ²

OS:WindowsOS:UbuntuVBoxHeadlessTray VMLinuxSSH

² WindowsVMLinuxSSH | Web scratch

Indices and tables

- *genindex*
- *modindex*
- *search*